

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	7	("6253300".pn."6173360".pn. "6453383".pn. "6088778".pn.) and (wizard install\$3 java language c++ os (operating near system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:15
S1	8388	711/111-112,170-173;707/7,200,205. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:40
S2	63376	(disc disk) with (format\$4 partition\$4 reformat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:44
S4	198138	(sort\$3 organiz\$3 order\$3) near3 (size length addresses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:07
S9	3418	(root swap virtual logical) near3 partition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:09
S10	280235	(free available unassigned unallocated) near3 (space memory storage location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:10
S11	1	sohn-susan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:10
S12	31529	(preserv\$3) near3 (memory block space storage partition data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:14

S13	6	(modify\$3 alter\$3 chang\$3 determin\$3) near3 ("file system layout")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:28
S20	83957	gui ("graphical user interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:27
S30	62	convert\$3 with ((cylinder track sector) near3 (size length)) with (byte megabyte bit Mb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:46
S43	10	(avoid\$3 imped\$3 stop\$3 evad\$3) near3 (partition) near3 (overlap\$5 overlay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:07
S44	98	(avoid\$3 imped\$3 stop\$3 evad\$3) with (partition) with (overlap\$5 overlay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:09
S45	7	S44 and S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:08
S46	39	((avoid\$3 imped\$3 stop\$3 evad\$3) with (partition) with (overlap\$5 overlay\$3)) and (round\$3 convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:10
S47	3	S46 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:10

S48	5	((avoid\$3 impeded\$3 stop\$3 evade\$3) with (partition) with (overlap\$5 overlay\$3)) same (round\$3 convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:48
S49	63402	(disc disk) with (format\$4 partition\$4 reformat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:45
S50	198251	(sort\$3 organize\$3 order\$3) near3 (size length addresses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:28
S51	3420	(root swap virtual logical) near3 partition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:51
S52	280426	(free available unassigned unallocated) near3 (space memory storage location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:51
S53	31552	(preserve\$3) near3 (memory block space storage partition data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:51
S54	23	S49 and S50 and S51 and S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:52
S55	8406	711/111-112,170-173;707/7,200,205. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:53

S56	2	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:56
S57	6	S54 and 711/;707/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:04
S58	2	S55 and S49 and S50 and S51 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:04
S59	48	S55 and S49 and S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:29
S62	2662	(modify\$3 chang\$3 adjust\$3 reorganiz\$3) with (disc disk) with (partition\$3 format\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:25
S65	153104	(sort\$3 organiz\$3 order\$3) near3 (size length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:43
S66	15	S55 and S49 and S65 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:42
S67	998	(sort\$3 organiz\$3 order\$3) with (size) with (partition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:39

S68	104	S67 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:45
S70	35	S67 and S49 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:09
S71	6	S67 and S49 and S55 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:45
S72	112	(sort\$3) with (size) with (partition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:39
S73	13	S72 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:44
S74	20	S72 and 711;/707/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:44
S75	7	S74 not S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:44
S77	1	((disc disk) with (format\$4 partition\$4 reformat\$4)) and (sort\$3 with (memory near3 block) with size) and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:47

S80	8406	711/111-112,170-173;707/7,200,205. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:46
S81	63402	(disc disk) with (format\$4 partition\$4 reformat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:46
S82	73	S80 and S81 and (((sort\$3 (large\$3 with small\$3)) with (memory block) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:49
S83	31552	(preserv\$3) near3 (memory block space storage partition data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:47
S85	65	S80 and S81 and (((large\$3 with small\$3)) with (memory block) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:50
S86	11	S80 and S81 and (((large\$3 with small\$3)) with (memory block) with size)) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:52
S87	0	S80 and S81 and (((sort with large\$3 with small\$3)) with (memory block) with size)) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:52
S88	0	S80 and S81 and (((sort with large\$3 with small\$3)) with size)) and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:52

S89	0	S80 and S81 and (((sort with large\$3 with small\$3)) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:53
S90	1	S80 and S81 and (((sort same (large\$3 with small\$3))) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:53
S91	2	S80 and S81 and (((sort\$3 same (large\$3 with small\$3))) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:53
S92	5	S80 and S81 and (((sort\$3 organiz\$3 order\$3) same (large\$3 with small\$3))) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:55
S93	5	S80 and S81 and (((sort\$3 organiz\$3 order\$3) same ((big\$4 large\$3) with small\$3))) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:56
S94	5	S80 and S81 and (((sort\$3 organiz\$3 order\$3) same ((big\$4 large\$3) with small\$3))) with size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:58
S95	8406	711/111-112,170-173;707/7,200,205. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:58
S96	63402	(disc disk) with (format\$4 partition\$4 reformat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:58

S10 1	103	S95 and S96 and ((root\$3 preserv\$3 swap\$3 virtual logical) with (memory space storage data area)) and (((sort\$3 organiz\$3 order\$3) with (big\$4 large\$3)) with small\$3 decreas\$3) with size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:16
S10 2	31	S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (((sort\$3 organiz\$3 order\$3) with (big\$4 large\$3)) with small\$3 decreas\$3) with size) and (preserv\$3 with (memory data storage space area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:19
S10 3	35	S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (((sort\$3 organiz\$3 order\$3 allocat\$3 assign\$3) with (big\$4 large\$3)) with small\$3 decreas\$3) with size) and (preserv\$3 with (memory data storage space area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:26
S10 4	97	S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (preserv\$3 with (memory data storage space area)) and ((sort\$3 organiz\$3 order\$3 allocat\$3 assign\$3) with (big\$4 large\$3 small\$3 decreas\$3 size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:36
S10 6	79	S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (preserv\$3 with (memory data storage space area)) and ((sort\$3 organiz\$3 order\$3 allocat\$3 assign\$3) near3 (big\$4 large\$3 small\$3 decreas\$3 size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:42
S10 7	1	sohn-susan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:42
S10 8	78	(S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (preserv\$3 with (memory data storage space area)) and ((sort\$3 organiz\$3 order\$3 allocat\$3 assign\$3) near3 (big\$4 large\$3 small\$3 decreas\$3 size))) not S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 16:56

S109	0	(S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (preserv\$3 with (memory data storage space area)) and (sort\$3 near3 partition near3 size)) not S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 16:57
S110	0	(S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (preserv\$3 with (memory data storage space area)) and (sort\$3 near5 partition near5 size)) not S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 16:57
S111	0	(S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (preserv\$3 with (memory data storage space area)) and (sort\$3 with partition with size)) not S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 16:57
S112	1	(S95 and S96 and ((root\$3 swap\$3 virtual logical) with (memory space storage data area)) and (preserv\$3 with (memory data storage space area)) and (sort\$3 same partition same size)) not S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 16:57
S113	45	("5675769").URPN.	USPAT	OR	ON	2005/11/30 10:56
S129	23	(US-20050185543-\$).did. or (US-4380029-\$ or US-5485439-\$ or US-5627995-\$ or US-5671405-\$ or US-5675769-\$ or US-5724338-\$ or US-6026463-\$ or US-6108759-\$ or US-6138179-\$ or US-6215750-\$ or US-6366911-\$ or US-6427148-\$ or US-6636958-\$ or US-6694092-\$ or US-5471604-\$ or US-5706472-\$ or US-5832525-\$ or US-6078990-\$ or US-6088778-\$ or US-6253300-\$ or US-6185575-\$).did. or (JP-62157934-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/11/30 11:18
S153	30	(convert\$ change) with (cylinder) with (Mb megabyte byte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:31
S156	92	sort\$3 with partition with size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:02

S21 0	169	(convert\$3 with minimum) same consisten\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:26
S26 2	11	map\$4 with cylinder with (byte megabyte \$4byte\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:27
S26 3	3	S262 and 707/;711/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:52
S26 9	11	S262 and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:54
S27 0	2	S262 and map\$4 and fast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:54
S27 1	7	S262 and map\$4 and (fast\$3 efficient\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:59
S27 2	2	"6453383".pn. and (round\$3 resiz\$3 efficient\$3 fast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:18
S27 3	2	"6453383".pn. and (round\$3 efficient\$3 fast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:59